



Digital ABS Caliper

Item number: 500-506-10

Images




Description

A Mitutoyo digital caliper equipped with standard outside and inside jaws. Hardened stainless steel construction and equipped with ABSOLUTE System scale for error free, high-speed measurement. SPC data output.

Features

Model:	CD-24°C
Delivered:	Including SR44 battery
Range:	0 - 24 "
Max. Permissible Error E MPE:	±0,002"
Max. Permissible Error S MPE:	±0,003"
Digital step:	0,0005"/0,01 mm
Max. response speed:	Unlimited
Display:	LCD, character height 10 mm
ORIGIN (ABS-Zero):	Yes
ON/OFF:	Yes
Low voltage alarm:	Yes
Data output:	Yes
Battery life:	Approx. 20000 hours
Mass:	1350 g

Dimensions



Accessories

Optional accessories:

**Digimatic Cable, Straight,
Data Button,**

1m
Art No. 959149
Suggested retail price: **48.00 €***

**Digimatic Cable, Straight,
Data Button**

2m
Art No. 959150
Suggested retail price: **57.00 €***

**USB Input Tool Direct
(Digimatic to USB)**

2m Cable, Digimatic/Digimatic 2, Straight,
with Data Button
Art No. 06AFM380C
Suggested retail price: **124.00 €***

**U-WAVE-T, IP67 Type**

Wireless Transmitter
Art No. 02AZD730G
Suggested retail price: **187.00 €***

**U-WAVE-T, Buzzer Type**

Wireless Transmitter
Art No. 02AZD880G
Suggested retail price: **187.00 €***



Connection Cable C for U-WAVE

Straight, with Data Button
Art No. 02AZD790C
Suggested retail price: **105.00 €***



Data Hold Unit

for Digital Caliper
Art No. 959143
Suggested retail price: **36.00 €***



U-WAVE fit, IP67 Type

Wireless Transmitter for Caliper
Art No. 264-620
Suggested retail price: **185.00 €***



U-WAVE fit, Buzzer Type

Wireless Transmitter for Caliper
Art No. 264-621
Suggested retail price: **185.00 €***



U-WAVE fit Bluetooth, IP67 Type

Wireless Transmitter for Caliper
Art No. 264-624
Suggested retail price: **185.00 €***

SHOW LESS

Spare parts

Consumable spares:



Battery SR44 1,5 V

Art No. 938882

Suggested retail price: 10.00 €*